


Autobahn DX 6.0 Release Notes



Autobahn DX **Release Notes**



Version 6.0
November 2022

Content

1 VERSION 6.0.2211.18	7
1.1 Upgrading	7
1.1.1 License Key	7
1.1.2 .Net Framework	7
1.2 New Steps	7
1.2.1 GDPicture input file types	8
1.3 Improvements	9
1.3.1 The job upgrader tool could be automatic	9
1.3.2 The BCL Service being turned off gave unhelpful errors	9
1.3.3 Custom script examples are not easy to use	9
1.3.4 Custom script documentation needs updating	9
1.3.5 When first opening ADX with no license key set, the license prompt did not appear at the front	9
1.4 Bug Fixes	9
1.4.1 Warnings sometimes displayed when switching between jobs	9
1.4.2 Non-Latin characters are not rendered correctly in logging	9
1.4.3 Single clicking a job did not properly select the job	10
1.4.4 Job Name label not updating correctly	10
1.4.5 Convert PDF To TIFF step incorrectly giving exit code 0 with specific error	10
1.4.6 SharePoint Downloads with path length over 260 causes error	10
1.4.7 SharePoint steps missing a 'Continue on Error' property	10
1.4.8 Pause function not working as intended	10
1.4.9 SharePoint Upload - first file in batch fails when folder threshold reached.	10
1.4.10 Deleting steps does not update the 'Step Properties'	10
1.4.11 Canceling creating a new job causes strange behavior	11
1.4.12 PDF/A Option in Standard OCR steps not working	11
1.4.13 Output File Name %DIRNAME not working in 'Merge Image to Searchable PDF (Extended)'	12
1.4.14 SharePoint Upload - first file in batch fails when threshold reached.	12
1.4.15 SharePoint - many file entries are created when accessing SPO sites	12
2 VERSION 5.5.2111.16	13
2.1 Enhancements	13
2.1.1 Set the emails sent out from Autobahn back to their original filename	13
2.2 Bug Fixes	13
2.2.1 Files with # in name not uploading to SharePoint correctly	13
2.2.2 Emails over 3MB failing to send	13
2.2.3 Any File to Searchable PDF (Extended) does not produce a CSV log	13
2.2.4 Pages processed in CSV not correct when processing in multicore	13
2.2.5 Console logging during Email steps do not output to the logs	13

2.2.6 DynamicRasterizer and pdfbox version mismatch	13
3 VERSION 5.5.2109.30	13
3.1 Enhancements	14
3.1.1 Add a tool to update Autobahn 5.01 jobdef files	14
3.1.2 Add a new compression step in Autobahn DX	14
3.1.3 Include total page count per job as additional logging	14
3.1.4 Add PowerShell Scripts capability	14
3.1.5 Allow Autobahn email steps to send files in bulk with 'Send Email' step	14
3.2 Bug Fixes	14
3.2.1 PDF page rasterization causes Runtime error	15
3.2.2 PDF files containing both visible and hidden text in a page not processed correctly	15
3.2.3 Files not moved to error folder if not able to copy to output	15
3.2.4 Exception thrown when uploading large document to SharePoint On-Prem	15
3.2.5 The '&' symbol in a SharePoint address causes the job to fail	15
3.2.6 Some PDF steps gave error messages when processing '.PDF' files	15
4 VERSION 5.5.2105.28	15
4.1 Bug Fixes	15
4.1.1 Convert PDF to PDF/A step grayed out with Standard license.	16
4.1.2 %DIRNAME gives the file name and not the directory name for extended jobs	16
5 VERSION 5.5.2104.30	16
5.1 Upgrading	16
5.2 Enhancements	17
5.2.1 Give ability to use templates for metadata settings in "Set PDF Properties" step	18
5.2.2 Added Encrypted PDF Handling options	18
5.2.3 Allow users to sort input files by date	18
5.2.4 Default input delay set to 5 seconds	18
5.2.5 Support for conversion of .eml files	18
5.2.6 Improve license key error messages for Cloud steps	18
5.2.7 Update Email libraries	18
5.2.8 Add Modern Authentication to SharePoint libraries	18
5.2.9 Renamed 'Extract PDF Image via' option	20
5.2.10 Select up to 8 languages in Extended OCR	20
5.2.11 Post Job Completion Alerts	20
5.3 Bug Fixes	20
5.3.1 Subfolders not created in output	20
5.3.2 Barcode zones not being used	20
5.3.3 Merge PDF properties controlling processing encrypted documents	20
5.3.4 Email attachments containing the ';' character in their name causes error	20
6 VERSION 5.01 200316	20

6.1 Bug Fixes	20
6.1.1 Office documents always output as Portrait	21
6.1.2 Cloud OCR option 'Extract PDF Images Via' default value invalid	21
6.1.3 'Keep original image' setting available when processing in Native	21
6.1.4 Binarization Mode property not keeping value	21
6.1.5 Contents of 'temp' folder not being properly removed	21
6.1.6 'Run Continuously' checkbox not keeping value	21
6.1.7 Option "Keep original image" does not save changes and remains blank	21
6.1.8 Image to Searchable PDF (standard) with text output fails to save	22
6.1.9 OCR Any file to PDF not keeping overwrite setting in GUI	22
6.1.10 Job analyzer not deleting temporary files it creates	22
6.1.11 Job API displays inconsistent behavior with concurrent jobs	22
6.1.12 'Include unprocessed PDFs Only' generates a PDFBox error	22
6.1.13 Hangs when processing certain types of PDFs in Native mode	22
6.2 Enhancements	22
6.2.1 SharePoint Step does not support SP2013 OR SP2010	22
6.2.2 Job summary tool uses job temp for its file processing	22
6.2.3 Improved CPU Core throttling	22
6.2.4 Added 'forcecores' to allow setting cores manually	23
6.2.5 Moved 'Save Options' in Module & Options tab	23
6.2.6 Merge Image to Searchable PDF (extended)	23
7 VERSION 5.0.190905	23
7.1 Bug Fixes	23
7.1.1 Removed WIF 3.5 as a Prerequisite	24
7.1.2 Fixed the PDF to Searchable PDF (Cloud OCR) Step properties.	24
8 VERSION 5.0.190805	24
8.1 Bug Fixes	24
8.1.1 SharePoint connector license check failure	24
9 VERSION 5.0.190715	24
9.1 Bug Fixes	24
9.1.1 Any File to PDF fails when generating PDF/A files from text documents	24
9.1.2 Batch Size gets dropped after the first iteration of job from the service	24
10 VERSION 5.0.190605	24
10.1 Bug Fixes	24
10.1.1 CSV Log Files for Paths with Comma(s)	24
10.1.2 Merging PDF Files with Acroforms	24
11 VERSION 5.0.190430	24
11.1 Upgrading from earlier Versions	25
11.1.1 Preserving Existing Job Definitions when Upgrading	25

11.1.2 License Key	25
11.1.3 Removed Files	25
11.2 Enhancements in v5.0	25
11.2.1 Pause Job	25
11.2.2 New Job Steps	25
11.2.2.1 Cloud OCR	25
11.2.2.2 Stamp PDF Files	25
11.2.2.3 Any File to Searchable PDF (Extended)	26
11.2.2.4 Azure Storage Download	26
11.2.2.5 Azure Storage Upload	26
11.2.2.6 Distributed Polling	26
11.2.3 Job API Changes	26
11.2.3.1 Remote API Enhancement	27
11.2.3.2 GetLastRunDate	27
11.2.4 New Alerts Method	27
11.2.5 OCR Updates	27
11.2.5.1 Extended Engine	27
11.2.5.1.1 Default Values	28
11.2.5.1.2 New High-Quality OCR engine	28
11.2.5.1.3 Recognition of images scanned with dithering	29
11.2.5.1.4 Automatic language detection of a single-language page	29
11.2.5.1.5 Punch-hole removal	31
11.2.5.1.6 Retain pre-processing settings	31
11.2.5.1.7 Advanced pre-processing settings	31
11.2.5.1.8 New languages available with High-Quality OCR engine	31
11.2.5.1.9 Performance improved for page orientation detection on Korean documents	32
11.2.5.1.10 Memory consumption reduced for document conversion	32
11.2.5.1.11 Turn off PDF/A validation	32
11.2.5.1.12 Default Values	32
11.2.6 Step Types that have changed name	33
11.2.7 Delete Empty Input Folders	33
11.2.8 CPU Core Licensing and Job Control	34
11.2.9 Autobahn DX Directory Changes	34
11.3 Bug Fixes	35
11.3.1 [SDK-120] Graphics state	35
11.4 Known Issues	35
11.4.1 Recognition of accented characters with High-Quality OCR engine (Extended OCR module)	35

1 Version 6.0.2211.18

1.1 Upgrading

1.1.1 License Key

This is a major release of Autobahn and will require a new license key to use. If you have current Support and Maintenance Cover (SMC) for a perpetual license or a current subscription license, please contact support@aquaforest.com to request a new key. From 31 March 2022 Autobahn DX is only available as a subscription product. Existing permanent Autobahn DX 5.5 licenses will remain valid (and function as permanent licenses). Additional SMC for existing permanent licenses will continue to be available for version 6.0.

1.1.2 .Net Framework

This release of Autobahn requires a .Net Framework of 4.7.2 or higher. The Autobahn installer will check this requirement before installation.

1.2 New Steps

The main improvement of this Autobahn release is the inclusion of 11 new steps. These steps all use the GdPicture toolkit, which includes a wide variety of functions and will be constantly improved and updated. A brief description of the new job steps is below:

- **Validate PDFA**
Checks PDFs against a PDF/A version and gives an error for the file if it does not conform.
- **Linearize PDF**
Optimizes PDFs for web-viewing, rendering the document one page at a time.
- **Convert Any File To PDF (GdPicture)**
Able to convert a large variety of file types to PDF. This step does not require an Office installation to process Office files.
- **Combine Any File To PDF**
Converts a folder of files into PDF and then merges them, so create a single output PDF. This step uses GdPicture and does not require an Office installation to process Office files.
- **Combine PDFs**
Merges a folder of PDF files to create a single output PDF.
- **PDF To JPEG**
Converts an input PDF to a JPEG file using the GdPicture toolkit.
- **PDF To PNG**
Converts an input PDF to a PNG file using the GdPicture toolkit.
- **PDF To TIFF (GdPicture)**
Converts an input PDF to a TIFF file using the GdPicture toolkit.
- **PDF To Text**
Extracts the searchable text from the pages of a PDF file and creates an output text file.
- **PDF To Searchable PDF (GdPicture)**
Carries out Optical Character Recognition on the input PDF using the GdPicture toolkit, creating an invisible searchable text layer over the document.

- **Create Pdf Portfolio**

Combines a folder of files into an integrated PDF unit. There are a wide range of file types that can be used to create the PDF Portfolio.

1.2.1 GDPicture input file types

The following file types can be used with the Convert Any File to PDF and Combine Any File to PDF steps.

Description	Suffix
Windows bitmap format	BMP
Microsoft Word (.doc) binary file format	DOC
Microsoft Word OpenXML	DOCX
Microsoft Word Macro-Enabled OpenXML format	DOCM
Enhanced Windows Meta-format	EMF
Graphics Interchange Format	GIF
HTML format	HTML
Icon and cursor format (single or multi page)	ICO
Joint Photographic Expert Group	JPEG
Portable Gray-map File	PGM
Portable Network Graphics Format	PNG
Portable Pix-map File	PPM
Microsoft PowerPoint Presentation format	PPTX
Microsoft PowerPoint Macro-Enabled Presentation format	PPTM
Rich Text File Format	RTF
Tagged Image Format	TIFF
Plain text file	TXT
Standard Windows Meta-format	WMF
Microsoft Excel (.xls) binary file format	XLS
Microsoft Excel Spreadsheet format	XLSX
Electronic Mail format	EML
Outlook Item File Format	MSG
Scalable Vector Graphics File	SVG
Device Independent Bitmap format	DIB
24-bit compressed JPEG Graphic format	JPE
MIME HTML format	MHTML
OpenDocument Text file format	ODT
Portable Bitmap Image file format	PBM
Picture Exchange image file format	PCX
TARGA raster graphics format	TGA

1.3 Improvements

1.3.1 The job upgrader tool could be automatic

Ref: ADX-390

A previous issue in Autobahn was upgrading jobs between versions. This was solved with an upgrading tool created for version 5.5. However, the visibility for the tool was low and it was a very manual process. All jobdef files need upgrading if they are not the correct version, so it made sense to make this process automatic. When opening Autobahn, the jobdef folder will now be checked for jobs that need upgrading. The process will be shown in a brief pop-up, but this will be very quick if you only have a few jobs that need to be upgraded.

1.3.2 The BCL Service being turned off gave unhelpful errors

Ref: ADX-353

The Any File To PDF steps that use BCL previously had no check to see if the BCL service was running. This would be an issue if the service was not running, as the job fails, and the error returned would not explain the cause of the issue. The service is now checked to see if it is running, and an informative error message is returned if it is not running.

1.3.3 Custom script examples are not easy to use

Ref: ADX-352

The Custom Script Step allowed users to run their own scripts as part of an Autobahn job. However, the custom folder we provide had example scripts that were old and not easy to use. We recently created new scripts with simpler functions. The examples were added to the custom folder, and there are examples for these new scripts in the Reference Guide.

1.3.4 Custom script documentation needs updating

Ref: ADX-347

The Custom Script section of the Autobahn Reference Guide had become outdated, and the information was both confusing and had links to sites that no longer existed. The documentation has now been updated to provide examples for example scripts with more straightforward functions. Any information that was no longer beneficial has been removed.

1.3.5 When first opening ADX with no license key set, the license prompt did not appear at the front

Ref: ADX-338

When first opening Autobahn, a prompt will appear asking for a license key. However, this prompt did not have priority and would often appear behind other windows. This has now been improved so that the prompt will be brought to the front of all the current windows, so users can more easily see it.

1.4 Bug Fixes

1.4.1 Warnings sometimes displayed when switching between jobs

Ref: ADX-362

If the settings of a job required the job to use work folders, a warning will be displayed to alert the user. This alert was incorrectly popping up when switching to a job that does not require work folders, as the check was being carried out while loading the settings for the new job. This has been fixed and will no longer occur.

1.4.2 Non-Latin characters are not rendered correctly in logging

Ref: ADX-360

Files that contained non-Latin characters were not displayed as expected in the logs, instead appearing as question marks. This was due to the character encoding, and this has now been updated so that most common characters will now correctly display in the logs.

1.4.3 Single clicking a job did not properly select the job

Ref: ADX-354 and ADX-345

In the Autobahn Job Manager tab, single clicking a job would highlight that job, but would not select it. This would cause confusion when then clicking the Design tab, as it would take the user to the previously selected job. This issue also had potential to create blank jobs if creating a new job was canceled before saving it. In this version, the jobs now are selected after a single click, as expected. New jobs that are canceled are also cleared from being selected, so blank jobs are no longer an issue.

1.4.4 Job Name label not updating correctly

Ref: ADX-351

The Job Name label in the top right-hand corner of Autobahn keeps track of the currently selected job. However, in certain situations, the label was not updating correctly. When creating new jobs or renaming old jobs, the label would display the previous job name instead, causing confusion. This has now been fixed and the label updates as expected.

1.4.5 Convert PDF To TIFF step incorrectly giving exit code 0 with specific error

Ref: ADX-342

A file with a broken page was creating a memory issue with the 'Convert PDF To TIFF' step and was not producing an output tiff. However, the step was reporting back that the conversion was a success. This has now been changed so that the output file is checked after processing. If the output file does not exist, an error is reported correctly.

1.4.6 SharePoint Downloads with path length over 260 causes error

Ref: ADX-335

When running the 'SharePoint download' step in Autobahn, if a download would create a file with an output path above 260 chars, the download fails with the message: "The specified path, file name, or both are too long. The fully qualified file name must be less than 260 characters, and the directory name must be less than 248 characters." This error has now been addressed and the restriction should no longer occur.

1.4.7 SharePoint steps missing a 'Continue on Error' property

Ref: ADX-334

For most Autobahn steps, the Continue on Error property exists to allow the job to continue processing files if a single file fails, which is generally desirable behavior. However, this property was missing in the SharePoint steps, meaning that if a single file failed to transfer to/from SharePoint, the job would error. This useful property has now been added to align with other steps.

1.4.8 Pause function not working as intended

Ref: ADX-333

The option to pause a job was intended to allow a job to be stopped temporarily, and it would start from the last file when restarted. However, the pause would instead start the job from the beginning. This was due to a file incorrectly recording the progress. This has now been fixed and restarting a job after a pause will start from the last file processed previously.

1.4.9 SharePoint Upload - first file in batch fails when folder threshold reached.

Ref: ADX-331

This issue is related to ADX-320. When uploading a batch of files to SharePoint Online, if too many folders already exist on SharePoint, the upload operation would be prohibited.

1.4.10 Deleting steps does not update the 'Step Properties'

Ref: ADX-327

Whenever a user would delete a job step in the 'Designer' tab, Autobahn would automatically select the next step (if any), but the step properties of the deleted jobstep would still show. The designer now refreshes properly so that the newly selected job's properties are displayed.

1.4.11 Canceling creating a new job causes strange behavior

Ref: ADX-326

If a user canceled creating a new job, and then immediately selected an existing job, Autobahn would mistake the job ID with the canceled job, loading a job that doesn't exist and causing a UI error. This has now been fixed and the correct job ID will be read, and the job loaded successfully.

1.4.12 PDF/A Option in Standard OCR steps not working

Ref: ADX-324

The PDF/A conversion for Standard OCR steps had an issue and was being skipped during the processing. This has now been fixed, and files should now be output as a PDF/A file if this property is set.

1.4.13 Output File Name %DIRNAME not working in 'Merge Image to Searchable PDF (Extended)'

Ref: ADX-321

Users can use the %DIRNAME template to name the output file from a merge step after the folder. Unfortunately, there was a bug with this specific merge step that replaced the template with the folder name of the parent folder instead. This has now been fixed and %DIRNAME is now replaced by the correct folder name.

1.4.14 SharePoint Upload - first file in batch fails when threshold reached.

Ref: ADX-320

When uploading a batch of files to SharePoint Online, if too many files already exist on SharePoint, the first file in the batch would fail to upload. All other files would upload successfully. This issue has been addressed and all files should successfully upload.

1.4.15 SharePoint - many file entries are created when accessing SPO sites

Ref: ADX-317

Autobahn was creating many certificate key files when accessing SPO sites, found in the *C:\ProgramData\Microsoft\Crypto\RSA\MachineKeys* folder. Some files are critical, but many others could be removed after the accessing is complete. These files are now removed automatically at the end of a SharePoint job step when they are no longer needed.

2 Version 5.5.2111.16

2.1 Enhancements

2.1.1 Set the emails sent out from Autobahn back to their original filename

Ref: ADX-315

Previously all files emailed by the Autobahn 'Send Documents' step were received in the format "name@timestamp@email@.ext". This format is important as it holds information about the email that the file needs to be sent to. However, the file can now be renamed after this information is extracted by setting the new "Use Original Filename" property to true. The received file will have the timestamp, email and any extra @ signs removed.

2.2 Bug Fixes

2.2.1 Files with # in name not uploading to SharePoint correctly

Ref: ADX-319

When using the SharePoint Upload step in Autobahn, any file that contained a # symbol in its name will lose all text after this symbol, including the extension, when it is uploaded to SharePoint. This has been fixed in the latest version and will no longer be an issue with files named this way.

2.2.2 Emails over 3MB failing to send

Ref: ADX-318

Emails that had an attachment size greater than 3MB were getting a general exception error, which would cause the file to not send successfully. The issue causing this was fixed and the email attachment limit size now depends more on the email provider. Any file over 50MB will fail in Autobahn with a "file too large" error, but this limit is higher than most providers allow, so please be aware of these limits for your own provider.

2.2.3 Any File to Searchable PDF (Extended) does not produce a CSV log

Ref: ADX-314

It was discovered that for Any File to PDF (Extended) job steps specifically, the CSV log was not being written to when adding the run data. This has been fixed for this version of Autobahn, so it will produce a CSV log like every other OCR step.

2.2.4 Pages processed in CSV not correct when processing in multicore

Ref: ADX-313

The new feature of counting the pages processed for each file and adding this information to the CSV was giving incorrect data when used in multicore. This issue was fixed in the latest version, so Autobahn will now correctly output the pages processed in the CSV logs as long as the config option "verboseLogs" is enabled.

2.2.5 Console logging during Email steps do not output to the logs

Ref: ADX-312

The way that the email steps in Autobahn were previously called caused some unintended behavior, including the console output not being saved to the log files. After some reworking, these email steps are now called the same way as every other step. The logging is now saved to the log file as expected, and this has also fixed all the other unintended behavior.

2.2.6 DynamicRasterizer and pdfbox version mismatch

Ref: ADX-311

In earlier versions of the Autobahn release that included PDF Compression, some internal components were mismatched, causing certain jobs to fail. This has been fixed in the current version, and we encourage anyone experiencing these issues to upgrade to the latest version.

3 Version 5.5.2109.30

3.1 Enhancements

3.1.1 Add a tool to update Autobahn 5.01 jobdef files

Ref: ADX-309

When moving jobs from Autobahn 5.01 to 5.5, jobdefs relating to jobs that added new fields or changed field IDs will have missing information. This can cause issues, especially with the new field "Embed Font Subset" that is present in a few common steps.

An 'Upgrade Jobs' tool has been added to the 'Help' tab that will update 5.01 jobs in the 'jobdef' folder when run.

3.1.2 Add a new compression step in Autobahn DX

Ref: ADX-306

We have added the new step 'Modern Compress PDF'. This step has many great options for compression of both image and searchable PDFs. It is a big upgrade on our old compression step, which is now deprecated and will be removed in a later release.

3.1.3 Include total page count per job as additional logging

Ref: ADX-305

A new config option has been added to Autobahn. With 'verboseLogs' set to **true**, the total processed page count will be added to the output log as extra information. There are a few conditions for this to work:

- This option is for single step jobs, as pages may be processed multiple times in multistep jobs
- This information will not work with every steptype, as not every step processes in pages
- The log file path should contain %TIMESTAMP% otherwise data from previous runs may affect the output

3.1.4 Add PowerShell Scripts capability

Ref: ADX-303

Previously, the 'Custom Script Step' was unable to run PowerShell scripts directly. This has been addressed in the latest release, and there should be no issues attempting to run PowerShell script as part of a job in Autobahn.

3.1.5 Allow Autobahn email steps to send files in bulk with 'Send Email' step

Ref: ADX-299

In the previous version, the Autobahn 'Send Email' step would send each file in a separate email. For jobs that included splitting or big volumes, this created a lot of emails. We have now added the option to have multiple attachments in one email. This can be controlled with limits to the total file size or file number attached to the emails that Autobahn sends.

3.2 Bug Fixes

3.2.1 PDF page rasterization causes Runtime error

Ref: SDK-180

In rare cases with specific documents, an exception was being thrown intermittently during rasterization of an Extended OCR step. This has been fixed in the latest Aquaforest SDK version, and incorporated into Autobahn.

3.2.2 PDF files containing both visible and hidden text in a page not processed correctly

Ref: SDK-177

The combination of processing documents that contain both visible and hidden text using settings that set 'RemoveExistingPDFText = true' and 'PdfToImageIncludeText = false' caused the resulting files to be damaged. This rare issue has been fixed completely and should no longer cause any problems in output documents.

3.2.3 Files not moved to error folder if not able to copy to output

Ref: ADX-307

In the rare case that the output folder became unavailable during processing in Autobahn, an error would occur when attempting to copy the completed files over. However, there was no process of sending the original files to the error folder.

Autobahn now attempts to send the contents of the first work folder (or source folder) to the error folder. If this fails, it will disable the deletion of files if set.

3.2.4 Exception thrown when uploading large document to SharePoint On-Prem

Ref: ADX-302, PS-223

An issue was found in the SharePoint Upload step when users used Modern Authentication to upload a very large document, causing the upload to fail. This has been fixed in the latest version and should no longer occur.

3.2.5 The '&' symbol in a SharePoint address causes the job to fail

Ref: ADX-301

SharePoint now allows & symbols to be used in its naming system. However, an error in Autobahn caused jobs to fail when they contained these addresses as it was unable to find the location. This is no longer a problem in the latest version, any location containing a '&' symbol will now be found correctly.

3.2.6 Some PDF steps gave error messages when processing '.PDF' files

Ref: ADX-298

Previously, some Autobahn PDF steps were incorrectly identifying '.PDF' files. The steps would only accept files with a lowercase extension. This has been fixed in the latest version, and the steps are no longer case-sensitive when verifying the file extension.

4 Version 5.5.2105.28

4.1 Bug Fixes

4.1.1 Convert PDF to PDF/A step grayed out with Standard license.

Ref: ADX-297

The Convert PDF To PDF/A step was newly added in Version 5.5. However, it was only available for users with extended licenses. This was not intended, and it is now available for both standard and extended licenses in the latest version.

4.1.2 %DIRNAME gives the file name and not the directory name for extended jobs

Ref: ADX-296

When using the %DIRNAME template for the output file name for extended jobs, the template would be replaced with the filename instead of the directory name in the output file. This has now been fixed in all future versions going forward.

5 Version 5.5.2104.30

5.1 Upgrading

License Key – This is a major release of Autobahn, and will require a new license key to use. Please contact support@aquaforest.com to request a new key.

.Net Framework – This release of Autobahn requires a .Net Framework of 4.7.2 or higher. The Autobahn installer will check this requirement before installation.

Cloud OCR Upgrade – The Cloud OCR steps have been split into Google and Microsoft counterparts. Upgrading jobs with this step will require remaking the job. This affects the following steps:

Image to Searchable PDF (Cloud), PDF to Searchable PDF (Cloud)

Note - Some jobs have been improved and have changed from previous versions. When upgrading, property values may be missing from these steps. We recommend viewing the step in the designer and making sure all the properties are correctly filled out. If you still have issues, deleting and re-adding the step will update the properties to their default values. This affects the following steps:

Read Mailbox, Send Documents, SharePoint Download, SharePoint Upload, Barcode TIFF/PDF

5.2 Enhancements

- Autobahn DX 5.5 contains new OCR engines, including for Extended OCR, which will help improve the accuracy of the output from all OCR steps
- Added “PDF Recognition to JSON” step
 - This step will automatically extract important data from PDF files in the form of Key/Value pairs
 - No need for training or specifying extraction zones
 - Example document types that work well with this step
 - Invoices, shipping documents, etc.
- Added “PDF to PDF/A” step
- Added new improved barcode library with enhanced accuracy when reading certain barcode types e.g. QR codes
- Email and SharePoint libraries updated
 - Now supports OAuth2 Authentication

5.2.1 Give ability to use templates for metadata settings in "Set PDF Properties" step

Ref: ADX-284

Previously, users could only use static data for metadata input for the "Set PDF Properties" step. Users are now able to use %FILENAME% or %DIRNAME% in the Author, Title, Subject, Creator and Keywords field, and they will be replaced by the input file name or directory name for the output PDF.

5.2.2 Added Encrypted PDF Handling options

Ref: ADX-273

Two config options have been added to Autobahn. The first option, 'securedPdfHandling', allows you to 'pass' through secured files, or you can 'move' or 'copy' these files to another location. The second option, 'securePdfOutputLocation', defines the location to move/copy the secured files to.

5.2.3 Allow users to sort input files by date

Ref: ADX-270

The ability to sort the input file order can now be changed with the new option 'File Order' in the 'Properties' tab of the Designer. There are UTC and local time variants of the date options, totaling nine options: **Alphabetically**, **Created Date (Ascending)**, **Created Date (Decending)**, **Modified Date (Ascending)**, and **Modified Date (Decending)**. Note: this setting does not work for "Merge Image to PDF..." steps, the merge and OCR must be done in two separate job steps.

5.2.4 Default input delay set to 5 seconds

Ref: ADX-269

A common issue that users came across when using Autobahn as part of a workflow is that the input file would not be fully uploaded from the last process when it is picked up by Autobahn. This would cause the incomplete file to error when processed. This extra delay should give the last process time to finish properly uploading the file.

5.2.5 Support for conversion of .eml files

Ref: ADX-253

The latest version of BCL, the third-party library we use for conversions, now supports the conversion of .eml files. We updated the library in Autobahn DX version 5.5 and added the filetype to the configuration, so the .eml filetype should now successfully convert.

5.2.6 Improve license key error messages for Cloud steps

Ref: ADX-242

With the implementation of the new Cloud OCR library, we have also updated the error messages returned to users when there are errors with the Google/Microsoft license key input. This should make it easier for the user to diagnose the problem with the job.

5.2.7 Update Email libraries

Ref: ADX-226

The email library has been updated with a new version that address many of the issues with the previous library. It also includes support for Modern Authentication, which can be used in both email alerts and the individual email job steps.

5.2.8 Add Modern Authentication to SharePoint libraries

Ref: ADX-225

The update to the SharePoint library includes support for Modern Authentication, which has been a feature that many users have requested. The jobs have been updated so users can customize their authentication type to one that suits their needs.

5.2.9 Renamed 'Extract PDF Image via' option

Ref: ADX-219

This small update to the naming of a job option was made to provide more clarity on the way that the PDF Image would be extracted. The option is now 'Convert to TIFF', which will convert a PDF File to a TIFF file before extracting the image. The option is false by default.

5.2.10 Select up to 8 languages in Extended OCR

Ref: ADX-214

The Extended OCR jobs have been updated to allow users to input up to 8 languages, given that they are from the same character set. This change will help users that process multilanguage documents.

5.2.11 Post Job Completion Alerts

Ref: ADX-209

The feature to send an email when a job completes has been in previous versions of Autobahn, but it has now recently been updated with the new email library changes, including the addition of Modern Authentication. On the 'Modules and Options' tab, users are able to select their preferred authentication, and these details will be used for each job that has alerts set in the 'alerts' tab.

5.3 Bug Fixes

- The deployment executables, including TIFF Junction, can no longer be called directly
- The support tool has been removed from the 'Help' tab
- "PDF To Searchable PDF (Standard)" can no longer process TIFF files

5.3.1 Subfolders not created in output

Ref: ADX-294

In an early version of 5.5, Autobahn was not creating any subfolders in the output location. This meant that any folder tree that was processed would be output directly to the source file. This bug has now been fixed for future releases of Autobahn.

5.3.2 Barcode zones not being used

Ref: ADX-275

In the previous barcode step, the zonal information was not correctly sent to the barcode executable, so the whole page was always used as the zone. This has now been fixed with the new barcode step, so declaring zones will ignore the other areas of the page when searching for barcodes.

5.3.3 Merge PDF properties controlling processing encrypted documents

Ref: ADX-274

When processing encrypted files in the Merge PDF step, the job was expected to fail. However, some setting would allow the step to succeed. The step has been improved so it can now process encrypted files. Due to the new encrypted file handling implemented in version 5.5, encrypted files are handled by Autobahn before the merge step.

5.3.4 Email attachments containing the ';' character in their name causes error

Ref: ADX-272

In the rare case that an email attachment's name contained the ';' character, the file would fail to download. This was a limitation of the previous email library, and is no longer an issue with the new email library.

6 Version 5.01 200316

6.1 Bug Fixes

6.1.1 Office documents always output as Portrait

Ref: ADX-265

When processing Office documents, the output would always be portrait, regardless of the input orientation or the "Paper Orientation" setting in Autobahn. This has been fixed so that both orientations can now be produced as output.

6.1.2 Cloud OCR option 'Extract PDF Images Via' default value invalid

Ref: ADX-258

The PDF to Searchable PDF (Cloud OCR) step had an invalid default value of 'No' for this setting. This has now been changed to the valid value of 'Native'.

6.1.3 'Keep original image' setting available when processing in Native

Ref: ADX-257

In the PDF to Searchable PDF (Extended) step, the setting of 'Keep original image' will not take effect if processing with the 'Native' method, but the setting could still be changed. This could be confusing to a user, so this option is now grayed out unless processing using the 'Convert to Tiff' method.

6.1.4 Binarization Mode property not keeping value

Ref: ADX-256

When saving a PDF to Searchable PDF (Extended) step, the Binarization Mode property would store invalid values, due to the property referencing values of another property instead. This has been fixed in the latest version of Autobahn, so the property saves the correct value.

6.1.5 Contents of 'temp' folder not being properly removed

Ref: ADX-255

The main 'temp' folder holds job definitions for quick jobs, but extra definitions were generated every time Autobahn was reopened and these were not removed. This has been fixed so only necessary definitions are created, and these definitions are removed after use.

6.1.6 'Run Continuously' checkbox not keeping value

Ref: ADX-252

In the previous release of Autobahn, the "Run Continuously" checkbox would not keep its value when switching between jobs. This did not affect the schedule of jobs where the value was switched. This UI bug has been fixed in the new release.

6.1.7 Option "Keep original image" does not save changes and remains blank

Ref: ADX-251

When editing an 'Any File to Searchable PDF (extended)' job step, the value for 'Keep original image' will reset its value to false and appear blank in the UI. This has been fixed in the latest version of Autobahn.

6.1.8 Image to Searchable PDF (standard) with text output fails to save

Ref: ADX-246

When processing Image files with the step Image to Searchable PDF (standard), using "OCR to TextFile" and "Output File = Plain Text (no PDF)" the file will be processed, but the file will fail to save. This has now been fixed.

Convert to TIFF returning blank PDF forms

Ref: ADX-243

When converting PDF Forms to TIFF files, output files would lose their data, or return blank. This was an issue in a third-party component, and has been fixed in their latest build, which has been included in this build of Autobahn.

6.1.9 OCR Any file to PDF not keeping overwrite setting in GUI

Ref: ADX-240

The previous release of Autobahn DX 5.0 had a GUI bug that did not retain the overwrite setting in the Any file to PDF OCR job. This has been fixed.

6.1.10 Job analyzer not deleting temporary files it creates

Ref: ADX-238

In the previous release of Autobahn DX 5.0, the Job analyzer was not deleting the files it generated in a temp location. This no longer occurs, and the location of the generated files has been changed (see ADX-239).

6.1.11 Job API displays inconsistent behavior with concurrent jobs

Ref: ADX-233

In the previous release of Autobahn DX 5.0, the Job API encountered a problem if two or more jobs attempted to start at the same time and would instead show one job starting twice. We have fixed this issue.

6.1.12 'Include unprocessed PDFs Only' generates a PDFBox error

Ref: ADX-229

In the previous release of Autobahn DX 5.0, including this filter setting in a job would cause the error to occur. This was due to a PDFBox version mismatch. This issue has been resolved.

6.1.13 Hangs when processing certain types of PDFs in Native mode

Ref: SDK-135

In the previous release of Autobahn DX 5.0, PDFs that contained recursive code were causing hangs when processed in native mode. This was fixed in the latest PDFBox version, which has been implemented in this build.

6.2 Enhancements

6.2.1 SharePoint Step does not support SP2013 OR SP2010

Ref: ADX-261

The SharePoint Upload and Download steps were previously unsupported in SP2013 and SP2010. These steps have now been improved and can function with these versions of SharePoint.

6.2.2 Job summary tool uses job temp for its file processing

Ref: ADX-239

In the previous release of Autobahn DX 5.0, the job summary tool used the User Temp location to store files. These files are now stored in the job temp location.

6.2.3 Improved CPU Core throttling

Ref: ADX-234

Changes have been made in the latest version to improve CPU Core throttling.

6.2.4 Added 'forcecores' to allow setting cores manually

There now exists the config option 'forcecores', allowing users to tell Autobahn how many cores their machine has directly. The user will still be restricted by the cores allowed on their license and will need to restart the service for the config option to take effect.

6.2.5 Moved 'Save Options' in Module & Options tab

Ref: ADX-231

'Save Options' has been moved closer to the settings that it relates to, and the text has been changed to 'Update' instead.

6.2.6 Merge Image to Searchable PDF (extended)

This OCR step has now been updated to support PNG and BMP files.

7 Version 5.0.190905

7.1 Bug Fixes

7.1.1 Removed WIF 3.5 as a Prerequisite

Ref: ADX-227

The previous release of Autobahn DX 5.0 failed during installation on a Windows Server 2019 system, this was because of the WIF 3.5 prerequisite. This has been replaced.

7.1.2 Fixed the PDF to Searchable PDF (Cloud OCR) Step properties.

Ref: ADX-228

In the previous release of Autobahn DX 5.0, the Convert to TIFF option in was not getting passed to the OCR engine when using the new Cloud OCR step.

8 Version 5.0.190805

8.1 Bug Fixes

8.1.1 SharePoint connector license check failure

Ref: ADX-222

The previous release of Autobahn DX 5.0 failed executing the SharePoint steps, this was because of a bug in the license key validation

9 Version 5.0.190715

9.1 Bug Fixes

9.1.1 Any File to PDF fails when generating PDF/A files from text documents

Ref: ADX-218

The previous release of Autobahn DX 5.0 failed when generating PDF/A files from text documents when using **GenericExtension**, **AutoExtension** and **AutoExtensionEx**. Updating to the latest version of **BCL** fixes this issue.

9.1.2 Batch Size gets dropped after the first iteration of job from the service

Ref: ADX-220

The previous release of Autobahn DX 5.0 was setting the job filter limit to zero after the job executes for the first time under the service.

10 Version 5.0.190605

10.1 Bug Fixes

10.1.1 CSV Log Files for Paths with Comma(s)

In the previous version of Autobahn DX, the presence of commas (,) in file paths adds unwanted columns in the CSV log file. We have fixed this issue.

10.1.2 Merging PDF Files with Acroforms

In the previous version of Autobahn DX, there was a bug that was causing merging of PDF files with Acroforms to fail. We have fixed this issue.

11 Version 5.0.190430

11.1 Upgrading from earlier Versions

- This release requires version 4.5.2 of the .NET framework. The setup will check whether they are installed on your system and if not, will take you to the appropriate Microsoft site to download and install.
- To upgrade from earlier versions, request a new license key from Aquaforest: sales@aquaforest.com.
- Upgrade blog: <http://www.aquaforest.com/wp/index.php/upgrading-autobahn-dx-server/>

11.1.1 Preserving Existing Job Definitions when Upgrading

When Upgrading to a new version of Autobahn DX, your old jobs will not have all the new step properties added. To rectify this issue, open all your old jobs from the **Job Manager** and save them.

11.1.2 License Key

Autobahn DX 5.0 uses different license keys from the previous versions of Autobahn DX. You will need to request a new license key from Aquaforest: sales@aquaforest.com.

11.1.3 Removed Files

Autobahn DX no longer makes use of the file called 'emimap4.dll', which was used in previous versions. If you have upgraded, this file may still exist in the 'bin' folder and we recommend that it is deleted.

11.2 Enhancements in v5.0

We have made a lot of changes in this version of Autobahn DX; we will discuss these enhancements in this section.

11.2.1 Pause Job

We have now added the ability to resume from Jobs in Autobahn DX if:

1. The Job is Interrupted By a service crash or power failure.
2. If you paused the job from the Autobahn DX GUI.

Note: If you make any changes to the Job when it is in a Paused state the job will start from the beginning.

11.2.2 New Job Steps

In Autobahn DX 5.0, we have added to our long list of job steps. This is to give the user more value and options. For more details, check the section 5.7.2 in the Autobahn DX 5.0 reference guide.

11.2.2.1 Cloud OCR

The optional Cloud OCR module extends Autobahn DX with additional OCR engines from **Microsoft** and **Google**, the main advantages of these OCR engines is their Handwriting recognition capabilities. These OCR engines are available as a SAAS model provided by both vendors. Before you can start using these steps in Autobahn DX, you will need to have a subscription first. See chapter 18 of the reference guide for more details.

We have added two step types to the **Advanced** section of the **Job Designer** tab of Autobahn DX, the steps are named:

- Image to Searchable PDF (Cloud OCR)
- PDF to Searchable PDF (Cloud OCR)

11.2.2.2 Stamp PDF Files

This step can be used to add stamps to PDF pages, we have given the user the ability to customize these stamps extensively in a very simple manner.

Autobahn DX has different ways to apply stamps to a page, this gives the user some level of flexibility.

- **StampTextAsString:** When this operation has selected the text passed as the **StampObject** will be stamped on the PDF document as text.
- **StampPDFText:** When this operation is selected the text passed as the **StampObject** will be stamped on the PDF document as an image.
- **StampPageNumber:** When this operation is selected, every page in the PDF file will be stamped with a page number, starting from the start number. E.g. if **StartNumber** = 6 the first-page number will start from 6.
- **StampPageNumberBates:** When this operation is selected, every page in the PDF file will be stamped with a bates number, starting from the start number. E.g. if **StartNumber** = 6 the first-page number will start from 000006.
- **StampVariable:** This option allows a user to specify a variable like a date, filename or time. The variable specified by the **StampObject** will be stamped on the document. Check the table below for different Stamp variables provided.
- **StampPDFImage:** When this operation is selected the text passed as the **StampObject** is the address of the image to be stamped on the PDF document.

11.2.2.3 Any File to Searchable PDF (Extended)

In previous versions of Autobahn DX, we used to have the **OCR Any File to PDF** (this has changed to **Any File to Searchable PDF (Standard)**) step. This step converted office files to PDF and performed an OCR on image-based files. This step used to be available only for the Standard OCR engine, in version 5.0 we have added similar step that will use the Extended Engine to OCR image-based files.

11.2.2.4 Azure Storage Download

We added this new step to allow users to download files from an Azure Storage Container to your local machine. This can be used as part of a workflow in Autobahn DX.

11.2.2.5 Azure Storage Upload

We added this new step to allow users to upload files to an Azure Storage Container from your local machine. This can be used as part of a workflow in Autobahn DX.

Using these two steps, you can download files from Azure, process them and upload the outputs back to Azure in a single job.

11.2.2.6 Distributed Polling

This step can be used to implement load balancing in Autobahn DX, it achieves this by copying a fraction of the files from a central input location to the local system where Autobahn DX is running. Multiple Autobahn DX servers can point to one input folder, as a result, the files will be shared across several servers and the processing will be more optimized.

11.2.3 Job API Changes

11.2.3.1 Remote API Enhancement

Previously you had to install Autobahn DX on the client and server machine in order to call a remote API in Autobahn DX. We have changed this so that you will only need to install Autobahn DX on the server computer.

11.2.3.2 GetLastRunDate

We have added the method below to the Job API

Public string GetLastRunDate();

Returns the last Date and Time the job executed.

11.2.4 New Alerts Method

We have changed the way alerts are setup to give the user more control over when to send alerts and what to include in the alerts.

Note: If you are upgrading your jobs from a previous version of Autobahn DX and you have alerts setup for the job, you will have to go the **Alerts** tab in the **Job Designer** and set up the alerts in your jobs again.

See section 5.2.4 of the reference guide for more details.

Properties Logging Schedule Processing Alerts

<input checked="" type="checkbox"/>	Send Email Alerts on Job Completion
<input type="checkbox"/>	Attach Log File
<input type="checkbox"/>	Attach Job Report
From Email Address	<input type="text"/>
To Email Address	<input type="text"/>
Email Title	<input type="text" value=" %JOBNAME% %JOBSTATUS%!"/>
	<input type="button" value="Test Email"/>
Email Message	<div style="border: 1px solid #ccc; padding: 5px;"><pre>Job: '%JOBNAME%' Status: '%JOBSTATUS%',
 Log: %LOGFILE%,
 Time: %DATESTAMP% %TIMESTAMP%
 Source: %JOBSOURCE%
 Target: %JOBTARGET%
</pre></div>
Don't Send Email Alerts if	<input type="checkbox"/> No files were processed
	<input type="checkbox"/> No file errors occurred
	<input type="checkbox"/> Job ran to completion successfully

11.2.5 OCR Updates

11.2.5.1 Extended Engine

Autobahn DX 5.0 now has the latest version of the iDRS engine (iDRS 15.4.2) in the Extended OCR module.

11.2.5.1.1 Default Values

The default values for a few settings have been changed so that it gives good OCR results for different types of documents. These are shown below:

Setting	Changed to
Binarize	true
Binarization Mode	Adaptive
Brightness	128
Smoothing Level	248
Threshold	0
Work Depth	255
Remove Lines	true

11.2.5.1.2 New High-Quality OCR engine

The iDRS™ is updated with I.R.I.S.' brand-new High-Quality OCR: a new OCR engine developed using state of the art concepts from the artificial intelligence research domain.

This new technology brings considerable OCR accuracy improvement especially for bad quality scans, camera images or low-resolution documents, which are affected by common issues such as:

- **Touching characters**

is dressed again! Where have you been, this

- **Broken characters**

Cold night. Mrs. Corney,' said

- **Distorted characters**

from Barney's hands, who, having delivered another

It will also be suited for recognition of Arabic and Farsi, due to the cursive nature of these languages:

التسهيلات للمستثمر الزراعى وذلك من


The first release uses High Quality OCR engine for English, Arabic and Farsi languages; further languages will of course be added in future releases.

- For Latin, Cyrillic, Greek, Hebrew and Asian languages, High Quality OCR will be combined with existing OCR engine to use the strengths of both engines.
- For Arabic and Farsi languages, it fully replaces the previous engine, and reaches an unparalleled level of accuracy.

Note that processing time with High Quality OCR engine is expected to increase for low-quality documents: more time will be spent but better accuracy will be reached.

11.2.5.1.3 Recognition of images scanned with dithering

This release exposes an option allowing to improve recognition of color or greyscale images scanned with dithering:



Previous releases would not have properly processed such images: in most cases, the text would simply not have been detected during page analysis step.

How to use

It can be enabled by setting the Undithering property in the Binarization object. Note that you also need to enable smoothing by setting SmoothingLevel to a value greater than '0' to perform undithering.

11.2.5.1.4 Automatic language detection of a single-language page

Extended OCR can now automatically detect the language of an input document.

The aim of this feature is to detect the most probable language of a single-language page.

Supported languages

This release will be able to reliably detect the following scripts/languages:

- **Latin script**

English, German, French, Spanish, Italian, Swedish, Danish, Norwegian, Dutch, Portuguese, Galician, Icelandic, Czech, Hungarian, Polish, Romanian, Slovak, Croatian, Slovenian, Finnish,

Turkish, Estonian, Lithuanian, Latvian, Albanian, Catalan, Irish Gaelic, Scottish Gaelic, Basque, Indonesian, Malay, Swahili, Tagalog, Haitian Creole, Kurdish, Cebuano, Ganda, Kinyarwanda, Malagasy, Maltese, Nyanja, Sotho, Sundanese, Welsh, Javanese, Azeri (Latin), Uzbek, Bosnian (Latin), Afrikaans

- **Cyrillic script**

Serbian, Russian, Byelorussian, Ukrainian, Macedonian, Bulgarian, Kazakh

- **Greek script**

Greek

- **Hebrew script**

Hebrew

Future releases will extend the support to Arabic and Asian scripts.

Note:

- If at least one language has been detected, recognition will be performed in the first language candidate that has been detected, and not in the language(s) set through the **OCR Language x** property.
- If it fails to detect a language, recognition will be performed using the language(s) set through the **OCR Language x** property.

11.2.5.1.5 Punch-hole removal

A new feature has been added to the Extended engine that attempts to remove punch holes from pages. This feature only works when converting images to PDFs or when OCRing PDFs with **Extract Images Method** set to **Convert to TIFF** and with either **Keep Original Image** set to false or **Keep Punch Hole Removal** set to true.

Note: The punch-hole algorithm can be used on images with the following minimum dimensions width: 300px, height: 100px (computed for 300 DPI). The minimum height and width can vary with the image resolution.

11.2.5.1.6 Retain pre-processing settings

You can now retain specific pre-processing in the output PDF documents. For instance, if de-speckling is enabled, speckles are removed from each page to improve the OCR recognition, but this is only done internally and are not reflected in the output PDF document.

In this release, if you want to retain the de-speckling in the output document, set **Keep Despeckled Image** to true. Other pre-processing settings that can be preserved are **deskew**, **dark border removal** and **punch-hole removal**. These can be enabled using **Keep Deskewed Image**, **Keep Dark Border Removal** and **Keep Punch Hole Removal** respectively.

This feature only works when converting images to PDFs or when OCRing PDFs with **Extract Image Method** set to **Convert to TIFF** and with **Keep Original Image** set to false.

11.2.5.1.7 Advanced pre-processing settings

This release has new advanced settings for some existing pre-processing settings of the Extended module. These are:

- AdvancedDeskew
- AdjustmentMode
- ForceDeskew
- AdvancedDespeckle
- Dilate

11.2.5.1.8 New languages available with High-Quality OCR engine

The brand-new technology 'High-Quality OCR' now embeds the 3 following languages:

- Italian
- Spanish
- Portuguese

Note also that variants of already existing High-Quality OCR languages are now supported as well: Afrikaans, Brazilian Portuguese, British, Corsican, Frisian, Luxembourgish, Mexican Spanish, Sardinian, and Swiss-German.

11.2.5.1.9 Performance improved for page orientation detection on Korean documents

The algorithm used for page orientation detection with Korean language has been reviewed, allowing to drastically reduce processing time while improving a bit the accuracy.

On a set of 132 Korean documents, taken in all possible orientations for a total of 528 test cases:

- Older versions:
 - o Total time for orientation detection: 5,864 seconds
 - o Orientation detection accuracy: 96,0%
- This version:
 - o Total time for orientation detection: 971 seconds (divided by a factor 6!)
 - o Orientation detection accuracy: 97,3%

11.2.5.1.10 Memory consumption reduced for document conversion

The document output engine includes several optimizations regarding memory consumption when creating an output document. Those changes impact mostly the creation of PDF Image-Text and especially PDF iHQC documents.

In terms of peak memory consumption, considering an input image A4 at 600DPI:

- Older versions:
 - o PDF Image-Text: 343 Mb
 - o PDF iHQC: 568 Mb
- This version:
 - o PDF Image-Text: 238 Mb
 - o PDF iHQC: 359 Mb

11.2.5.1.11 Turn off PDF/A validation

In previous versions, PDF/A validation was always performed after converting to PDF/A. However, validating a PDF/A document adds a small performance penalty in terms of the overall processing time. This version allows you to turn off PDF/A validation.

Standard Engine

11.2.5.1.12 Default Values

The default values for a few settings have been changed so that it gives good OCR results for different types of documents. These are shown below:

Setting	Changed to
SavePreDespeckle	true

11.2.6 Step Types that have changed name

For clarity we have changed the names and groupings of our OCR steps in Autobahn DX to more clearly represent what they do. The table below shows the old step names and the corresponding new step.

Old Step Name	New Step Name
Convert TIFF to PDF	Image To Searchable PDF (Standard)
Extended Convert TIFF to PDF	Image To Searchable PDF (Extended)
OCR Image-Only PDF	PDF to Searchable PDF (Standard)
Extended OCR Image PDF	PDF to Searchable PDF (Extended)
OCR Any File to PDF	Any File to Searchable PDF (Standard)
Merge TIFFs to PDF	Merge Image to Searchable PDF (Standard)
Extended Merge TIFF to PDF	Merge Image to Searchable PDF (Extended)


11.2.7 Delete Empty Input Folders


When users select **Delete Input Files** or **Move to Archive after Processing** as the input file post processing action, it is a usual occurrence for a lot of empty folders in the input folder tree to remain. To delete these empty folders, you can use this new setting provided in Autobahn DX 5.0.

Properties | Logging | Schedule | Processing | Alerts

Job ID

Job Name

Source Folder 

Destination Folder 

Use Work Folders Process Sub-Folders Delete Empty Input Folders

Input Files ▼

Rename Input Files

Filter Files ▼

Filter Expression Batch Size

11.2.8 CPU Core Licensing and Job Control

Your license key will support a specific number of CPU cores. The product will limit the number of concurrent file processing operations to this number and will “throttle” jobs accordingly.

For example, if a 4-core licensed server is currently running a 2-core job and a new job starts that is configured for 4 cores the number of cores allocated to the second job will be reduced accordingly:

Autobahn DX using 2 cores out of 4 allowed.

We will reduce the number of cores in this job from 4 to 2 allowed.

As another example, if a 4-core licensed server is currently running a 4-core job and a new job starts that is configured for 2 cores then the second job will not be able to start until cores are freed up:

Autobahn DX using 4 processors out of 4 allowed.

We will attempt to start the job 18 time(s) over the next 180 seconds.

The retry interval and number of tries is determined by these two config file settings in Autobahn.config (by default this file is in C:\Aquaforest\Autobahn DX\config)

```
<add key="jobqueueinterval" value="180" />
```

```
<add key="jobqueueinterval" value="10"/>
```

11.2.9 Autobahn DX Directory Changes

We have added a distribution directory to the installation directory of Autobahn DX, this directory will contain the components need for Autobahn DX to function. As a result, we have moved some folders from the top-level folder to the distribution folder, we have also created new folders for other components. The table below shows the details.

Application	Old Directory Path	New Directory Path
Extended OCR	extendedocr	distribution /extendedocr
TIFF Junction	tj	distribution /tj
PDF Junction	pj	distribution /pj
Cloud OCR (new)	-	distribution /cloudocr
SharePoint Connector (new)	-	distribution /sharepoint
Azure Connector (new)	-	distribution /azure
Support Tool	support	distribution /support

11.3 Bug Fixes

11.3.1[SDK-120] Graphics state

The graphics state was not being restored when processing pages that require rotation in the Standard OCR engine. This caused issues when other applications manipulated the PDF after it had been OCR'd by Aquaforest. This has now been fixed.

11.4 Known Issues

11.4.1 Recognition of accented characters with High-Quality OCR engine (Extended OCR module)

The new Extended OCR module currently has an issue that impacts Latin languages processed with HighQuality OCR engine.

When a character with an accent (like é, è, à, ñ, etc.) is recognized but is not present in the character set (for instance if recognition is performed in English), the OCR engine will output a reject character (U+FFFD).

This is a regression compared to previous versions, where the "base" character would be output instead (e.g. 'e' instead of 'é').

This issue will be fixed with the next release.